

Creators' Corner [WIP]

READ ME

The Community Pack features are in development. Changes may not reflect newest release immediately.

This page will be updated when possible, and information may not be correct for outdated versions!

Please contact [Delphi](#) via SWEM DC with any feedback or to contribute video resources for this guide!

Note To Content Creators

This update will support you in sharing your content to a wider audience, with or without coding experience.

- You will no longer need to create resource packs that override a limited number of default options for coat or tack.
- You can add limitless (within reason) options to expand the game without creating a separate mod (add-on).
- You can integrate your content into some existing features of the mod, such as coat cycling and breeding tags.

To properly transition towards community packs, we recommend:

- Read this page carefully to fully understand creating community packs.
- Create **simple, clear and easy to follow / enforce** Terms Of Use (TOU) if you share or sell your content.
- Upload content in a player-friendly format, such as Community Pack, Content Pack or standalone files.

You must read and follow the Content Creation Rules (below) to comply with SWEM's license and permitted use of assets.

Content Creation Rules

❑ YOU MUST NOT SELL (OR TRADE FOR PROFIT) ANY ASSETS CREATED AND OWNED BY SWEM

EXCEPTIONS MAY BE MADE ON AN INDIVIDUAL BASIS WITH EXPLICIT CONSENT FROM SWEM
(ALAHARRANHONOR)

- Modified versions of the horse model
- Modified versions of any blocks or items
- Modified version of **any** default coats
- Modified textures of any blocks or items
- Freely provided materials:
 - Shading layers
 - Rights to use standard techniques (eyes, nose, hoof etc)
 - Template resource packs
 - Template community packs
 - JSON files (not in a working community pack)

❑ YOU MUST NOT SELL (OR TRADE FOR PROFIT) OR REDISTRIBUTE ASSETS OF OTHER CREATORS

EXCEPTIONS MAY BE MADE WITH EXPLICIT CONSENT FROM THE CREATOR OR THEIR T.O.U

- Modified textures
- Modified .json files that remove or alter credits
- Free resources
 - Including the **Official Community Pack** (free) and any donated works from community artists

❑ YOU CAN PROVIDE FREE CONTENT THAT ACCEPTS AN OPTIONAL DONATION

COAT MODIFICATIONS ARE ONLY PERMITTED WITH WITH EXPLICIT CONSENT FROM SWEM (ALAHARRANHONOR)

- Modified horse model and "breed add-ons"
- Modified .json files
 - Altered breeding tags or coat cycling information

❑ YOU CAN SELL CONTENT THAT IS AT LEAST 90%* YOUR OWN WORK

90% ACCOUNTS FOR THE 10% FAIRLY ACCREDITED TO SIMILAR ARTISTIC STYLE, INSPIRATION, REFERENCE OR
COLOR PICKING

- You can sell content that is at least **90%* your own work**
 - Models for entities, blocks or items
 - Textures for entities, including coats using the freely provided shading layer or standard features (eyes, nose, hoof etc)
 - Textures for inventory icons of **custom content** using the default **pixel outline**

- (shape) of SWEM tack
- Textures for blocks or items
- Animations

Star Worm Equestrian is PG13: appropriate for users of all ages.

Any content or creators that modify it to be or appear otherwise do so against the terms of use for this project.

☐ YOU MUST NOT SELL, PROMOTE OR FEATURE SWEM IN ANY CONTENT OR MEDIA THAT INCLUDES:

- Extreme violence or gore
- Mature (18+) themes
 - Including realistic gender anatomy or animations

Terms Of Use Information

WARNING

Creating a complicated or highly restrictive TOU will set you up for frustration when it is inevitably violated or misinterpreted.

To protect your content within the **very limited legal recourse for TOUs** we encourage creators to share their creations in a similar way to mods; allow public or private use with minimal restrictions, provided the creator receives the download or support.

- If you choose to share your content publicly, it is your responsibility to clearly inform users of appropriate use.
- It is unreasonable to expect users to be remain informed of alterations to TOU **after the time of download.**
- It recommended to:
 - Post your full TOU in a public source that can be accessed by anyone without membership or sign up/in.
 - Include your TOU as a text file in any premade community packs.
 - Include your TOU as a link or summary in any location your files are hosted or downloaded.

RECOMMENDATIONS

Avoid **requiring** credit for use in media; it should be encouraged but **no credits does not equal insult!**

→ **It is not standard practice to credit every creation (ie mods)** in casual images;

nice if you do, but optional!

→ It should only be "required" to **credit where appropriate** (promotion, inspiration or reference), and **not falsely claim**.

Avoid **prohibiting** inspiration or reference; **similarity is not proof of plagiarism!**

→ It is possible for creators to have a similar idea, share the same reference, or take respectful inspiration!

→ It should be expected that work(s) **clearly and directly** referenced or inspired by your creation is fairly credited.

Avoid **restrictive** use policies that are difficult to monitor and enforce.

→ It is an unfortunate reality that players +/- servers will violate agreements, especially if they are restrictive.

→ There is limited legal recourse to address this; so state what you are **willing and able to action if necessary!**

Consider providing content in a compact format with **minimal individual downloads!**

→ Players and servers will be less likely to distribute (or more likely to use) **easily** accessible files.

→ It is suggested to provide creator pack(s) in bundles such as 'Bays', 'Pintos', '2023 Coats'

Avoid uploading to **unsecure file hosting sites** or encouraging users to engage in **unsafe internet habits**.

→ It is recommended to use popular sites such as Kofi, Google Drive.

EXAMPLE TERMS OF USE (NOT A LEGAL CONTRACT OR LICENSE)

- OWNERSHIP & AGREEMENT

→ The creator (name) retains all rights of ownership to this content

→ The right to use this content is granted to you (player) in accordance with this agreement

- USE

→ This creation ☐ can/not be used in content (images, videos) - credits are optional but appreciated.

→ This creation ☐ can/not be used privately in singleplayer or a small private group.

→ This creation ☐ can/not be used publicly in multiplayer.

→ This creation ☐ can/not be used in reasonable commercial services ☐ with/without

consent.

☐☐☐ Offered as part of a service (ie random / selected coat change) requiring real money

☐☐☐ Offered as a prize or reward for activity or events requiring real money

☐☐☐ Offered as an unlock via crowdfunding or engagement (ie server cost covered - > unlock)

NOTE: Commercial services must abide by Minecraft's EULA

- DISTRIBUTION

→ This creation **can/not** be reuploaded **with/without** consent **and/or** credits **and/or** payment.

☐☐☐ Limited private use by friends or small groups

☐☐☐ Custom Community Packs (folder)

☐☐☐ Custom Modpacks (zip)

☐☐☐ Exceptions: Paid vs Free, Commissions (paid) or Gifts (prizes)

☐☐☐ Other: File Hosting Sites, Discord Servers etc

- ALTERATIONS

→ This creation **can/not** be altered **with/without** consent and **with/without** credits for **public/private** use.

☐☐☐ Texture

☐☐☐ Information (json: name, description, color tags etc)

☐☐☐ Other conditions

Updating A Community Pack

Official Community Pack version is updated to work with SWEM 1.5.2 - please use the Beta 5 pack found [here](#).

If you have a custom coat community pack for 1.20.1-1.5-beta7, you must modify it to stay compatible in newest release.

1. Close Minecraft
2. Locate your community pack(s)
3. Go inside **packname > jsons > coats**
4. Open the first coat file in a text editor
5. Change **"legacy": "default:coats/legacy/coat_artist.png"** to **"legacy": "legacy/coat_artist.png"**
6. Save and close the file
7. Repeat for all coat files +/- all outdated packs

Texture Path Files (Older Versions)

Beta 5 "legacy": "default:coats/legacy/coat_artist.png"

Beta 7 "legacy": "default:legacy/coat_artist.png"

1.5.x "legacy": "legacy/coat_artist.png"

Creating A Community Pack

You can skip step 1-3 by downloading a template community pack found on our [Discord](#).

You can skip or delete any folder that will not be used for your content (ie tack folders if you will not add any tack).

READ ME: RESOURCES

[EXPAND] Recommendations

❑ REMOVE ANY UNUSED FOLDERS

Consider removing folders that do not contain any content (ie tack folder from a coat only pack). This will not prevent the pack from working, but it will be smaller, tidier and much clearer to users on the content contained within.

❑ USE A STANDARD NAMING FORMAT

This keeps your creations consistent, well organized and easy to identify as your work.

PACKS artist_packname Example: arishant_freecoats

COATS coatname_artist **Example:** maple_arishant

TACK See naming format resources below.

You might notice some items recommend credits before **or** after the name, this is for a few reasons!

PACKS Sorted alphabetically in folder and in-game, so packs group by artist instead of pack name

COATS Listed alphabetically in game once filtered by pack. **Example:** apple_artist / banana_artist / coconut_artist

TACK Listed alphabetically in game, instead of by type. **Example:** midnight_bridle / midnight_halter / midnight_saddle

❑ USE A UNIQUE NAME FOR PACKS

Naming a pack `koficoats` will work, but if another pack shares the same name they would merge together.

If you use `artist_packname` it significantly reduces the chance of name duplication and folder merging.

❑ USE A UNIQUE NAME FOR FILES

Naming a coat `coatname` or tack item `name_type` without artist will work, but it increases the risk of file replacement.

Pack that use the same name and coats or tack with the same name, will **replace** existing files of the same name.

If you are an artist that offers different variations of content, always use a unique name.

Example: 2 files both named `coatname_artist` but one with braids and one with roached mane will replace the other if a player chooses to use both options. If you named one `coatname_braids_artist` and the other `coatname_roached_artist` the player can choose to have one or both without replacing the other.

USE CORE PACKS AND CONTENT PACKS

If you want to make every pack unique, that's up to you. Example: `artist_pack1` `artist_pack2`
`artist_pack3`

However, if you create a lot of content this is going to be annoying for you to keep track of, and overwhelming to players.

Instead of using many packs with just one of two creations inside, consider using a core pack and offering add-ons via content packs. **This is explained more in a section further down!**

❑ REMOVE (OR RENAME) OUTDATED FILES

If you fix and issue with a pack, file or texture it is recommended to remove the original download. If you want to keep it as a legacy version, consider renaming it (ie `coatname_artist_old`). Old files using the name name may replace newer ones if accidentally downloaded, or included in an outdated pack.

[EXPAND] File Structure Example

config	swem	community-packs	artist_packname	isons	coats	artist_coat.json files
					tack	blanket
						breast_collar

1. Create a new folder
 - It can be in `config > swem > community-packs` or somewhere else (move later)
2. Name your community pack
 - It must be in lowercase letters with no spaces
 - It is recommended to use `artist_packname` such as `yourname_kofi` or `yourname_bays`
3. Go inside the empty folder
4. Create two new folders here
 - `jsons` to store the information files
 - `textures` to store the coat and tack files

STEP TWO: CREATE THE JSONS FOLDER STRUCTURE

1. Go inside the empty `jsons` folder
2. Create two new folders here
 - `coats` to store **.json** information files for coats
 - `tack` to store **.json** information files for tack
3. Go inside the empty `tack` folder
4. Create 10 new folders here
 - `blanket`
 - `breast_collar`
 - `bridle`
 - `girth_strap`
 - `halter`
 - `horse_armor`
 - `leg_wraps`
 - `pasture_blanket`
 - `saddle`
 - `saddle_bag`

STEP THREE: CREATE THE TEXTURES FOLDER STRUCTURE

1. Go inside the empty `textures` folder
2. Create two new folders here
 - `coats`
 - `tack`
3. Go inside the empty `coats` folder
4. Create one new folder here:
 - `legacy` to store **.png** texture files for coats
5. Go inside the empty `tack` folder
6. Create 10 new folders here
 - `blanket`
 - `breast_collar`
 - `bridle`
 - `girth_strap`
 - `halter`
 - `horse_armor`

→ leg_wraps
→ pasture_blanket
→ saddle
→ saddle_bag

Creating A Content Pack

If you are making a pack for personal use, you can skip this. Content packs are aimed at Creators providing expansion content.

A Content Pack is exactly the same as a community pack, but differs in how and why it is used.

- Content Packs use the same name as a 'core' community pack.
- Content Packs merge into any packs with the same name, or work as a standalone if one does not exist.
- Content Packs usually include less content, or content bundled by theme (ie Black Coats, Bay Coats)

[EXPAND] Content Packs Example

If you create a lot of content, you probably do not want to provide ALL of your coats in a single bundle, or maintain lots of individually named packs. This would quickly get confusing and difficult should any packs require a fix to files or textures.

Let's say you decide that your core pack will be `yourname_koficoats`. Each time you create a new coat, you will provide that coat in its own pack, using that name. You set it up like a normal community pack, and if a player downloads it it will work in-game when pasted into the community pack folder.

If you then create another new coat, you do the same thing; make a community pack named `yourname_koficoats` with just the NEW coat file and texture. If a player downloads that file and pastes it into the community pack folder, **it will merge into any pack folders that share the same name.**

This means you can offer optional content that players can pick and choose which files they want. They don't need to download any requirements, every pack will work on its own, or merge with others if they already exist.

Unfortunately, downloads get renamed if they have the same name, ie `artist_pack [1]` and `artist_pack [2]`

→ There is no way to avoid this without **downloading packs one at a time**, or manually renaming them to merge files.

Creating Content

If you followed the guide above, you have a basic community pack, but it needs content to work in game.

Community Packs can support custom coats, tack and animations - this can be all in one pack, or split into separate packs.

Adding Custom Coats

This guide will not cover how to create a coat, for information please read our [resources](#) on Discord.

STEP ONE: CREATE OR DOWNLOAD A CUSTOM COAT

1. Save or rename the file as `artist_coatname`
→ The file type should display as `PNG File`
2. Paste this file into your community pack `artist_packname > textures > coats > legacy > coatname_artist.png`

STEP TWO: CREATE A JSON FILE

1. Open a blank text editor file using Notepad (Windows) or TextEdit (Mac)
2. Paste in the coat template code (below)
3. Edit the template to your coat
 - `credits` the name of the coat artist(s) `"credits": "Arishant",`
 - `inspiration` optional notes on inspiration or reference `"inspiration": "Esperanza from Spirit",`
 - `models` the texture path (location) for **legacy model** `"legacy": "legacy/esperanza_arishant_legacy.png"`
 - `lapis_cyclable` if the coat can be cycled using lapis or redstone `true` or `false`
 - `obtainable_by_breeding` if the coat can appear from a (bred) foal `true` or `false`
 - `base_colors` which color tags the coat uses `["black","gray"]` `"base_colors": ["creamy"]`
4. Save the file as a .json file by using `save as` and naming the file `artist_coatname.json`
→ The file type should display as `JSON File`
5. Paste this file into your community pack `artist_packname > jsons > coats > coatname_artist.json`

[EXPAND] Coat Template

```
{  
  "credits": "Artist(s)",
```

```
"inspiration": "N/A",
"models": {
  "legacy": "legacy/coatname_artist_legacy.png"
},
"lapis_cyclable": true,
"obtainable_by_breeding": true,
"base_colors": ["black", "gray", "white", "creamy", "brown", "dark_brown", "chestnut"]
}
```

[EXPAND] Info & Common Mistakes

❏ LEGACY MODEL

Legacy model is the current horse model in game, but more models are planned in future.

- Texture must use the `legacy` model texture path
- Future model types may come pre-listed listed, but do not function in game

❏ TEXTURE PATH

Texture path is the location of the coat file placed in `artist_packname > jsons > coats > legacy > coatname_artist.png`

- Texture path must match the exact name of the coat png file
 - Must be a lowercase name with no spaces or symbols
 - Can include numbers or underscores
 - Should use the format `artist_coatname` or `artist_coatname_legacy` to indicate it uses original model
 - Should share the same or similar name as the json file

❏ COAT CYCLING

Coat cycling is the function that allows a player to cycle through coat options by right clicking a horse with redstone or lapis.

- Cycling a coat will only work if:
 - Set to `"lapis_cyclable": true,` in the json file
 - Coat cycling is enabled in server config `allowCoatCycling = true`
 - Coat is not blacklisted in server config `blacklistedCoatIds`
 - Server config is per-world; enabling settings in one world does not auto-apply it to others!
- Summoning a (random) coat via command will only work if:
 - Set to `"lapis_cyclable": true,` in the json file
 - Coat is not blacklisted in server config `blacklistedCoatIds`

☐ BREEDING & COLOR TAGS

- Color tags must use at least one of 7 valid choices:
 - ["black","gray","white","creamy","brown","dark_brown","chestnut"]
 - Separate multiple tags with a comma
 - There must not be a comma between " and]
- Coats can appear from converting horses if:
 - Coat has at least one valid color tag
 - Coat has the same color tag as the vanilla horse (randomly chooses from coat options)
 - Set to "obtainable_by_breeding": true, in the json file
 - Converting is enabled in server config file (default) tokensBreeding = false
 - Coat is not blacklisted in server config blacklistedCoatIds
 - Server config is per-world; enabling settings in one world does not auto-apply it to others!
- Coats can appear from breeding if:
 - Set to "obtainable_by_breeding": true, in the json file
 - Coat is not blacklisted in server config blacklistedCoatIds
 - Foals are assigned one tag from any their parents have and use one of 7 foal coats (one per tag)
 - Foals choose from a random adult coat with the same tag when they grow up
- Color tags and breeding outcomes are **very basic** and do not support realistic genetics
 - Setting tags you expect the horse to 'pass on' is more likely to get your coat **from** those tags.
 - **Example:** Bay coat with "chestnut", "black", "brown" - any chestnut, black or brown foal can grow up to use it.
 - Setting tags for any color a coat has a small amount of will result in dramatic changes from foal to adult coats.
 - **Example:** Leopard Appaloosa with "black", "white" - a fully black foal would grow up to a mostly white coat.

RECOMMENDATION

- Set **one or two** tag(s) for a foal color you would expect to get the coat from
- Example:** Black Foal -> Black Horse

STEP THREE: TEST YOUR COMMUNITY PACK

1. Paste the community pack file in config > swem > community-packs
 - Read [here](#) if this is your first time installing a community pack.
2. Load the game

3. Open a test world with cheats enabled
4. Type `/swem summon LEGACY`
 - Your pack should be listed in the options
 - It may be above or below the default `swem:` options
 - If your pack is not listed, you have made an error
5. Select your coat and enter the command
6. Check the coat has the expected texture.

If this worked as expected, you can repeat Step 1 + 2 to add additional coats to the pack.

[EXPAND] Troubleshooting Errors

COMMUNITY PACK TROUBLESHOOTING

FOLLOW EACH STEP CAREFULLY + NOTE ISSUES AS YOU GO. ONLY REQUEST HELP AFTER USING THIS!

❏ [1] MOD VERSION

- **Double check** you are using the latest 1.20.1 Beta version.
 - Even if you feel sure, go and check it. It's the most common error!
 - `Curseforge App` Will not auto-install beta files, go to `mod's page > versions > install`
 - `Multiplayer Servers` Check server is on latest release
 - `Multiplayer Users` Check client + server use same version
- ⚠ **Community Packs are for 1.20.1-1.5 and above only.**

❏ [2] OFFICIAL COMMUNITY PACK VERSION

- Skip this step if you are not using the official Community Pack.
 - Check you have `swem_community_pack_beta_5` or above.
 - Check this is the latest version posted - it may have a new release!
 - `Multiplayer Servers` Check server has the correct pack
 - `Multiplayer Users` Check clients have the same pack name + contents as server

❏ [3] COMMUNITY PACK LOADING

- Open the game and load into a world
- Type `/swem summon LEGACY`
 - Is the pack listed?
 - Is **any** pack listed (excluding `swem:`)
- ❏ Pack(s) are recognized
- ❏ Pack(s) are not recognized, specific packs are invalid or have no valid files. **Go to solutions [3].**

❏ [4] COAT REGISTERED

- Type `/swem summon LEGACY packname:`
 - Is the coat(s) you expect to see listed? **Example** `kofi_coats:spirit_arishant_legacy`
 - ☐ Coat(s) have registered.
 - ☐ Coats have not registered OR specific coat(s) are invalid. **Go to solutions [4].**

☐ [5] JSON -> TEXTURE PATH

- Summon coat(s) from the pack
 - Do coat(s) have a texture that is correct for that horse?
 - ☐ Coat(s) have the correct texture
 - ☐ `Black Texture` Texture path or file name is invalid or missing. **Go to solutions [5].**
 - ☐ `Multiplayer` Player is missing the pack or no texture for that coat path. **Go to solutions [5].**
 - ☐ `Wrong Coat` Texture path or file name is incorrect. **Go to solutions [4].**
 - ☐ `Looks Wrong` Texture or UV map error. **Contact Coat Artist or request help.**

☐ [6] OTHER

- `Lapis Cycling`
 - If you cannot cycle **any** coats using lapis or redstone, it is disabled in server config.
 - If you can cycle coats, but some options are missing, it is disabled in the coat **.json** file.
- `White Texture`
 - If a coat is white, the pack or coat .json files were removed or renamed
 - If that is not the case, information in .json may have an error (invalid format) **Go to solutions [5].**
- `Texture Error`
 - If a coat appears broken (color in wrong places, missing pixels, marker blocks) it needs a texture or UV fix.
 - If you are not the coat artist, contact the original creator.
- `Error On Load / Crashing`
 - Too many potential causes
 - Paste your **latest.log** file in [Tech Help](#) in our Discord with a description of the issue(s).
- `All files correct but some do not load`
 - Invalid files prevent others from being registered on load.
 - Files are suspected to load in alphanumerical order (A-Z)
 - Note the names of coats you CAN summon or change coats of, then find the first letter you cannot.
 - Sort your community pack folder by ascending name - identify the file AFTER the last one visible in game.
 - Use the

ALWAYS SHUT DOWN THE GAME + RELOAD AFTER MAKING CHANGES

It is not recommended to modify packs from a Creator unless you intend to customize it and solve any issues.

- You should follow this troubleshooting guide to identify your likely issue first.
- You should notify Creator's of potential problems with the **default pack** (might need a fix or update).
- You should NOT expect Creator's to troubleshoot an issue you might have caused by altering files!

□ ISSUE [3]

- Check the community pack:
 - Pack is directly in `config > swem > community-packs`
 - Pack is a **folder** and not a zip file!
 - Pack has a valid **lowercase** name with **no spaces or symbols** □ `artist_kofi` □
`Artist Kofi Coats (1)`
 - Pack includes at least one `.json` and `.png` file in the **correct folder**
 - `jsons > □ coats > JSON FILES HERE`
 - `textures > □ coats > □ legacy > PNG FILES HERE`

If this is **ALL** correct the issue is not the community pack structure. **Go back to Step [4] above.**

□ ISSUE [4]

- Identify a coat that is missing in game
- Check the **.json** file for the coat
 - File is listed as a `JSON File` type
 - File is directly in `community-packs > artist_packname > jsons > coats`
 - File has a valid **lowercase** name with **no spaces** □ `coatname_artist` □ `Coat - Artist`
 - File texture path uses □ `"legacy": "legacy/coatname_artist.png"` □ `"legacy":`
`"default:legacy/`

If this is correct, the most likely issue is formatting (invalid json).

- Paste the text **here** and validate to check it has no errors.
- Compare your json to the template and note any missing `"`, `,` or `{ }` or different indentation
- If unsure, delete and rewrite the .json file using a blank template
- Reload the game and repeat **Step [4]** above.

If this is **ALL** correct or changes did not work, paste your **.json** file in [Tech Help](#) in our Discord

❏ ISSUE [5]

- Identify a coat with a black (missing) texture
- Check the **.json** file for the coat
 - File uses `legacy` model line (not any for future models)
 - File texture path uses `"legacy": "legacy/coatname_artist.png"` `"legacy": "default: legacy/`
 - File texture path has the **exact** name used by the coat texture **.png** file
- Check the .png file for the coat
 - File is listed as a `PNG File` type
 - File is directly in `community-packs > artist_packname > textures > coats > legacy`
 - File has a valid **lowercase** name with **no spaces** `coatname_artist` `Coat - Artist`
- `MULTIPLAYER SERVERS`
 - Client (player) has community pack(s) with the same name (ID) as those on the server.
 - Client (player) has **.png** files with the same names as those in the server pack.

If you cannot check this due to permissions, you will need to contact server admins.

❏ [6] OTHER OR NOTHING WORKED

- Create a post in [Tech Help](#) in our Discord
 - Describe your issue(s) and **what you have tried**
 - Upload your latest.log file to provide info that may help others assist you

DO NOT UPLOAD PAID/PRIVATE PACKS WITH TEXTURES FROM CREATORS WITHOUT CONSENT

Adding Custom Tack

This guide will not cover how to create tack, for information please read our [\[RESOURCES\]](#) on Discord.

[EXPAND] Files & Naming Format

This is the standard format used in the Beta pack. It is recommended to use a consistent naming format as shown here.

Type	Texture + Name	Comment
Bridle	name_bridle_icon	Inventory Icon
	name_bridle_legacy	Horse Texture
	name_bridle_bit_legacy	Horse Texture
	rack_bridle_name_blanket	Bridle Rack Texture
Blanket	name_blanket_icon	Inventory Icon
	name_blanket_legacy	Horse Texture
	rack_saddle_name_blanket	Saddle Rack Texture
	rack_saddle_5_name_blanket	Blanket Rack (5X) Texture
Saddle	name_saddle_icon	Inventory Icon
	name_saddle_legacy	Horse Texture
	rack_saddle_name_saddle	Saddle Rack Texture
	rack_horse_armor_name_saddle	Armor Rack Texture
Girth Strap	name_girth_strap_icon	Inventory Icon
	name_girth_strap_legacy	Horse Texture
	rack_saddle_name_girth_strap	Saddle Rack Texture
Breast Collar	name_breast_collar_icon	Inventory Icon
	name_breast_collar_legacy	Horse Texture
Leg Wraps	name_leg_wraps_icon	Inventory Icon
	name_leg_wraps_legacy	Horse Texture

<code>name_leg_wraps_hoof_legacy</code>	Horse Texture (hoof)	
Saddlebag	<code>name_saddle_bag_icon</code>	Inventory Icon
	<code>name_saddle_bag_legacy</code>	Horse Texture
Horse Armor	<code>name_horse_armor_icon</code>	Inventory Icon
	<code>name_horse_armor_legacy</code>	Horse Texture
	<code>name_horse_armor_wings_legacy</code>	Horse Texture Optional (Default: Amethyst Tier)
	<code>rack_horse_armor_name_horse_armor</code>	Armor Rack Texture
Halter	<code>name_halter_icon</code>	Inventory Icon
	<code>name_halter_legacy</code>	Horse Texture
	<code>rack_halter_lead_name_halter</code>	Lead Rack Texture
Pasture Blanket	<code>name_pasture_blanket_icon</code>	Inventory Icon Optional (One or Both)
	<code>name_pasture_blanket_armored_icon</code>	Inventory Icon Optional (One or Both)
	<code>name_pasture_blanket_legacy</code>	Horse Texture Optional (One or Both)
	<code>name_pasture_blanket_armored_legacy</code>	Horse Texture Optional (One or Both)
	<code>rack_pasture_blanket_3_short_name</code>	Pasture Blanket Rack (3X) Texture
	<code>rack_pasture_blanket_5_long_name</code>	Pasture Blanket Rack (5X) Texture

STEP ONE: CREATE OR DOWNLOAD TACK ICONS

This is the icon that will display in inventory slots of when held in hand. Each tack item needs ONE icon.

- Save or rename the files as `name_type_icon`
 - Use the recommended naming in **Files & Naming Format** above.
 - Name should relate to in-game name ☐ Midnight Saddle → `midnight_saddle_icon`
 - Type should match a valid tack type ☐ `midnight_blanket_icon` `midnight_girth_strap_icon`
 - The file type should display as `PNG File`

- Icons should be default 16 x 16 pixels
2. Paste this file into your community pack `artist_packname > textures > tack > [type] > name_type_icon.png`
- Type should use the relevant folder **Example** Midnight Saddle → `textures > tack > saddle`

STEP TWO: CREATE OR DOWNLOAD TACK TEXTURES

This is the texture for the tack on the horse. Note, there are a few optional variations:

- Bridles need a texture for both the 2D components **and** the 3D bit.
 - Leg wraps require `leg_wraps` **and** `leg_wraps_hoof` for hoof rendered textures.
 - Horse armor has `horse_armor` for default tiers up to diamond and `horse_armor_wings` for default amethyst tier
 - Custom armor can support wings **without** being amethyst tier, **or** non-winged armor at amethyst tier.
 - Pasture Blanket has `pasture_blanket` (cosmetic only) and `pasture_blanket_armored` with amethyst tier armor protection.
1. Save or rename the files as `name_type_artist`
- Name and Type means the same as in Step One.
- Legacy is optional, but recommended to indicate it is for the original horse model.
- The file type should display as `PNG File`
2. Paste this file into your community pack `artist_packname > textures > tack > [type] > name_type_artist.png`
- Type means the same as in Step One.

STEP THREE: CREATE OR DOWNLOAD RACK TEXTURES

This is the texture for the tack on compatible storage racks. Not all tack supports rack storage.

- Bridles and halters can be stored on Bridle Racks `rack_bridle`
- Halters can be stored on Halter & Lead Racks `rack_halter_lead`
- Blankets (Saddle Pads) can be stored on Blanket Racks `rack_saddle_5`
- Saddles, Blankets (Saddle Pads) and Girth Straps can be stored on Saddle Racks `rack_saddle`
- Saddles and Horse Armor can be stored on Armor Racks `rack_horse_armor`
- Pasture Blankets can be stored on Pasture Blanket Racks `rack_pasture_blanket_3_short`
`rack_pasture_blanket_5_long`
- Breast Collars, Leg Wraps and Saddle bags do not support any tack storage racks.

Rack textures are **default** for blankets (saddle pads), girth straps and pasture blanket.

- They can support a premade grayscale template with a color overlay.
- The texture template can be copied from `assets > swem > textures > block`

- The color code (RGB code) is specified in the tack `.json` file
- You can make a custom texture instead; retexture the template.
- If you create a custom texture, use [255, 255, 255] (white) overlay in `.json` to disable the overlay.
- If you create a custom grayscale texture, use the RGB color overlay as normal.

Rack textures are **custom** for bridles, halters, saddles and horse armor.

- **[TBC]** They use a modified version of the horse tack texture.
- **[TBC]** This can be found in...

1. Save or rename the files as `racktype_name_type`
 - Name and Type means the same as in Step One.
 - Rack Type means the compatible storage type (see list above)
 - The file type should display as `PNG File`
2. Paste this file into your community pack
 - `artist_packname > textures > tack > [type] > racktype_name_type_artist.png`
 - Type means the same as in Step One.

STEP FOUR: CREATE JSON FILE(S)

This is the information file that registers custom tack as an item in game, and specifies its properties.

1. Open a blank text editor file using Notepad (Windows) or TextEdit (Mac)
2. Copy the template code for your tack item (below)
3. Edit the template to your coat
 - You only need to edit the **BOLDED PURPLE** text - leave the rest unless you know what you're doing!
 - `credits` the name of the texture artist(s) `"credits": "Arishant",`
 - `inspiration` optional notes on inspiration or reference `"inspiration": "Midnight Tack Set",`
 - `coin` tier of coin required to purchase at EQ Shop `"coin": "iron"`
 - Note:** Valid tiers are `copper > iron > emerald > gold > diamond > netherite > amethyst`
 - `amount` number of tokens required to purchase at EQ Shop `"amount": 2`
 - `name` item name (ID) in **lowercase** letters `"name": "midnight_bridle"`
 - `icon` texture path for the inventory icon `"icon": "bridle/midnight_bridle_icon.png"`
 - `type` the tack type and tack slot it is equipped in `"type": "bridle"`
 - `model_type` if it is western or english tack (specific items) - input ONE type `"model_type": "western"`
 - `color` RGB color code overlay for rack textures (specific items) `"color": [0, 51, 102],` <- Dark Blue
 - Note:** Custom rack textures should use a white overlay [255, 255, 255] to not alter colors.
 - `tier` tier of horse armor (inherits the benefits of all previous tiers) `"tier": "amethyst"`
 - Note:** Valid tiers are `cloth > iron > gold > diamond > amethyst`

→ `can_wear_armor` if it supports armor equipping (specific items) - set to true or false ☐

`"can_wear_armor": false`

→ `textures` texture path for the horse texture ☐ `"bridle": "bridle/midnight_bridle_bit_legacy.png"`

Note: The path and textures required vary by tack type - only modify the template where shown!

→ `rack` texture path for tack storage racks (specific items) ☐ `"bridle": "bridle/rack_bridle_name_bridle.png"`

Note: The path and supported storage racks vary by tack type - only modify the template where shown!

4. Save the file as a .json file by using `save as` and naming the file `name_type.json`

→ Use the **Files & Naming Format** guide (above)

→ The file type should display as `JSON File`

5. Paste this file into your community pack `artist_packname > jsons > tack > [type] >`

`name_type.json`

→ Type should use the relevant folder **Example** Midnight Bridle → `textures > tack > bridle`

[EXPAND] Bridle Template

```
{
  "display": {
    "name": "Name Bridle",
    "credits": "Artist(s)",
    "inspiration": "N/A"
  },
  "cost": {
    "coin": "iron",
    "amount": 2
  },
  "meta": {
    "name": "name_bridle",
    "icon": "bridle/name_bridle_icon.png",
    "type": "bridle",
    "data": {
      "model_type": "western / english (select one)",
      "can_wear_armor": true
    },
  },
  "textures": {
    "horse": {
      "legacy": {
        "bridle": "bridle/name_bridle_bit_legacy.png",
        "halter": "bridle/name_bridle_legacy.png"
      }
    },
  },
  "rack": {
```

```
    "bridle": "bridle/rack_bridle_ name _bridle.png"
  }
}
}
}
```

[EXPAND] Blanket Template (Saddle Pad)

```
{
  "display": {
    "name": " Name Blanket",
    "credits": " Artist(s)",
    "inspiration": " N/A"
  },
  "cost": {
    "coin": " iron",
    "amount": " 2"
  },
  "meta": {
    "name": " name _blanket",
    "icon": "blanket/ name _blanket_icon.png",
    "type": "blanket",
    "data": {
      "color": " [255, 190, 0]",
      "can_wear_armor": " true"
    },
    "textures": {
      "horse": {
        "legacy": {
          "blanket": "blanket/ name _blanket_legacy.png"
        }
      },
      "rack": {
        "saddle": "blanket/rack_saddle_ name _blanket.png",
        "blanket_5": "blanket/rack_blanket_5_ name _blanket.png"
      }
    }
  }
}
```

[EXPAND] Saddle Template

```

{
  "display": {
    "name": "Name Saddle",
    "credits": "Artist(s)",
    "inspiration": "N/A"
  },
  "cost": {
    "coin": "gold",
    "amount": 4
  },
  "meta": {
    "name": "name_saddle",
    "icon": "saddle/name_saddle_icon.png",
    "type": "saddle",
    "data": {
      "model_type": "western / english (select one)",
      "can_wear_armor": true
    },
    "textures": {
      "horse": {
        "legacy": {
          "saddle": "saddle/name_saddle_legacy.png"
        }
      },
      "rack": {
        "saddle": "saddle/rack_saddle_name_saddle.png",
        "horse_armor": "saddle/rack_horse_armor_name_saddle.png"
      }
    }
  }
}

```

[EXPAND] Girth Template

```

{
  "display": {
    "name": "Name Girth Strap",
    "credits": "Artist(s)",
    "inspiration": "N/A"
  },
  "cost": {
    "coin": "copper",
    "amount": 3
  }
}

```



```

},
"meta": {
  "name": "name_girth_strap",
  "icon": "girth_strap/name_girth_strap_icon.png",
  "type": "girth_strap",
  "data": {
    "color": [255, 190, 0],
    "can_wear_armor": true
  },
"textures": {
  "horse": {
    "legacy": {
      "girth_strap": "girth_strap/name_girth_strap_legacy.png"
    }
  },
  "rack": {
    "saddle": "girth_strap/rack_saddle_name_girth_strap.png"
  }
}
}
}

```

[EXPAND] Breast Collar Template

```

{
  "display": {
    "name": "Name Breast Collar",
    "credits": "Artist(s)",
    "inspiration": "N/A"
  },
  "cost": {
    "coin": "copper",
    "amount": 5
  },
  "meta": {
    "name": "name_breast_collar",
    "icon": "breast_collar/name_breast_collar_icon.png",
    "type": "breast_collar",
    "data": {
      "can_wear_armor": true
    },
"textures": {
  "horse": {

```

```

    "legacy": {
      "breast_collar": "breast_collar/name_breast_collar_legacy.png"
    },
    "rack": {
      "blanket": ""
    }
  }
}

```

[EXPAND] Leg Wraps Template

```

{
  "display": {
    "name": "Name Wraps",
    "credits": "Artist(s)",
    "inspiration": "N/A"
  },
  "cost": {
    "coin": "iron",
    "amount": 1
  },
  "meta": {
    "name": "name_leg_wraps",
    "icon": "leg_wraps/name_leg_wraps_icon.png",
    "type": "leg_wraps",
    "data": {
      "can_wear_armor": true
    },
    "textures": {
      "horse": {
        "legacy": {
          "leg_wraps": "leg_wraps/name_leg_wraps_legacy.png",
          "hoof": "leg_wraps/name_leg_wraps_hoof_legacy.png"
        }
      },
      "rack": {
        "blanket": ""
      }
    }
  }
}

```

[EXPAND] Saddle Bag Template

```
{
  "display": {
    "name": "Name Saddle Bag",
    "credits": "Artist(s)",
    "inspiration": "N/A"
  },
  "cost": {
    "coin": "gold",
    "amount": 1
  },
  "meta": {
    "name": "name_saddle_bag",
    "icon": "saddle_bag/name_saddle_bag_icon.png",
    "type": "saddle_bag",
    "data": {
      "color": [255, 190, 0]
    },
    "textures": {
      "horse": {
        "legacy": {
          "saddle_bag": "saddle_bag/name_saddle_bag_legacy.png"
        }
      },
      "rack": {

      }
    }
  }
}
```

[EXPAND] Horse Armor Template

```
{
  "display": {
    "name": "Name Horse Armor",
    "credits": "Artist(s)",
    "inspiration": "N/A"
  },
  "cost": {
    "coin": "amethyst",
    "amount": 4
  }
}
```

```

},
"meta": {
  "name": "name_horse_armor",
  "icon": "horse_armor/name_horse_armor_icon.png",
  "type": "horse_armor",
  "data": {
    "tier": "amethyst"
  },
},
"textures": {
  "horse": {
    "legacy": {
      "armor": "horse_armor/name_horse_armor_legacy.png",
      "wings": "horse_armor/name_horse_armor_wings_legacy.png"
    }
  },
  "rack": {
    "horse_armor": "horse_armor/rack_horse_armor_name_horse_armor.png"
  }
}
}
}

```

[EXPAND] Halter Template

```

{
  "display": {
    "name": "Name Halter",
    "credits": "Artist(s)",
    "inspiration": "N/A"
  },
  "cost": {
    "coin": "emerald",
    "amount": 4
  },
  "meta": {
    "name": "name_halter",
    "icon": "halter/name_halter_icon.png",
    "type": "halter",
    "data": {
      "color": [255, 190, 0],
      "can_wear_armor": true
    }
  },
  "textures": {

```

```

"horse": {
  "legacy": {
    "halter": "halter/name_halter_legacy.png"
  }
},
"rack": {
  "halter_lead": "halter/rack_halter_lead_name_halter.png"
}
}
}
}

```

[EXPAND] Pasture Blanket Template

```

{
  "display": {
    "name": "Name Pasture Blanket",
    "credits": "Artist(s)",
    "inspiration": "N/A"
  },
  "cost": {
    "coin": "emerald",
    "amount": 4
  },
  "meta": {
    "name": "name_pasture_blanket",
    "icon": "pasture_blanket/name_pasture_blanket_icon.png",
    "type": "pasture_blanket",
    "data": {
      "color": [255, 190, 0]
    }
  },
  "textures": {
    "horse": {
      "legacy": {
        "pasture_blanket": "pasture_blanket/name_pasture_blanket_legacy.png"
      }
    },
    "rack": {
      "pasture_blanket_long_5": "pasture_blanket/rack_pasture_blanket_5_long_name.png",
      "pasture_blanket_short_3": "pasture_blanket/rack_pasture_blanket_3_short_name.png"
    }
  }
}

```

```
}
```

[EXPAND] Armored Pasture Blanket Template

```
{
  "display": {
    "name": "Armored Name Pasture Blanket",
    "credits": "Artist(s)",
    "inspiration": "N/A"
  },
  "cost": {
    "coin": "diamond",
    "amount": 2
  },
  "meta": {
    "name": "name_pasture_blanket_armored",
    "icon": "pasture_blanket/name_pasture_blanket_armored_icon.png",
    "type": "pasture_blanket",
    "data": {
      "color": [255, 190, 0],
      "is_armored": true
    }
  },
  "textures": {
    "horse": {
      "legacy": {
        "pasture_blanket": "pasture_blanket/name_pasture_blanket_armored_legacy.png"
      }
    },
    "rack": {
      "pasture_blanket_long_5": "pasture_blanket/rack_pasture_blanket_5_long_name.png",
      "pasture_blanket_short_3": "pasture_blanket/rack_pasture_blanket_3_short_name.png"
    }
  }
}
```

STEP FIVE: TEST YOUR COMMUNITY PACK

It is recommended to check your pack early after doing just one or two items to ensure you have followed instructions correctly.

1. Paste the community pack file in `config > swem > community-packs`
→ Read [here](#) if this is your first time installing a community pack.

2. Load the game
3. Open a test world with cheats enabled
4. Place an EQ Shop Block
5. Give yourself some tokens
 - Choose a type that is a valid currency for your tack (as specified in .json)
6. Place the tokens into the input slot
7. Check your tack items display and can be purchased
8. Check the tack item has the correct inventory icon
9. Check the tack can be equipped and:
 - The tack has the expected texture
 - The tack has the expected features (ie supports armor if it should, armor tier, wings etc)
10. Check the tack can be placed on supported racks (if relevant) and displays the correct texture

[EXPAND] Troubleshooting Errors

COMMUNITY PACK TROUBLESHOOTING

FOLLOW EACH STEP CAREFULLY + NOTE ISSUES AS YOU GO. ONLY REQUEST HELP AFTER USING THIS!

❑ [1] MOD VERSION

- **Double check** you are using the latest 1.20.1 Beta version.
 - Even if you feel sure, go and check it. It's the most common error!
 - `Curseforge App` Will not auto-install beta files, go to `mod's page > versions > install`
 - `Multiplayer Servers` Check server is on latest release
 - `Multiplayer Users` Check client + server use same version
- ⚠ **Community Packs are for 1.20.1-1.5 and above only.**

❑ [2] COMMUNITY PACK LOADING

- Open the game and load into a world
- Type `/give @p <id:>` Example `/give @p artist_packname:`
 - Is the command valid? (displays autofill options)
- ❑ Pack is recognized
- ❑ Pack is not recognized or has failed to register at least one item. **Go to solutions [2].**

❑ [3] ITEM REGISTERED

- Type `/give @p <id:>` Example `/give @p artist_packname:`
 - Is every item you expect to see registered listed?

- ☐ Items are registered
- ☐ Item(s) have invalid or missing files. **Go to solutions [3].**

☐ [4] JSON -> TEXTURE PATH

- Give yourself an item from the pack
 - Does it have the correct inventory texture?
 - Does it have the correct horse texture (when equipped)?
 - Does it apply to the required parts of the horse or tack model (ie Bridle bit)?
 - Does it have the correct rack texture (if supported)?
- ☐ Item texture paths are correct
- ☐ **Missing Texture** Texture path or file name is invalid or missing. **Go to solutions [4].**
 - Multiplayer** Player is missing the pack or no texture for that coat path. **Go to solutions [4].**
- ☐ **Wrong Texture** Texture path or file name is incorrect. **Go to solutions [4].**
- ☐ **Looks Wrong** Texture or UV map error. **Contact Coat Artist or request help.**
- ☐ **Wrong Perks / Protection / Features** JSON information is incorrect.

☐ [5] OTHER

- **Texture Error**
 - If a texture appears broken (color in wrong places, missing pixels, marker blocks) it needs a texture or UV fix.
 - If you are not the texture artist, contact the original creator.
- **Error On Load / Crashing**
 - Too many potential causes
 - Check you have no duplicate JSON files
 - Check no JSON information uses the same item name as another item in the pack (ie midnight_saddle x 2)
 - Paste your **latest.log** file in **Tech Help** in our Discord with a description of the issue(s).
- **Pasture Blanket Rack Textures (Black or Wrong Texture)**
 - Check the rack texture path uses **5_long** or **3_short** and not **long_5** or **short_3**
- **All Text Appears as ☐ in Minecraft** Potentially caused by invalid packs.

SOL

ALWAYS SHUT DOWN THE GAME + RELOAD AFTER MAKING CHANGES

It is not recommended to modify packs from a Creator unless you intend to customize it and solve any issues.

- ☐ You should follow this troubleshooting guide to identify your likely issue first.
- ☐ You should notify Creator's of potential problems with the **default pack** (might need

a fix or update).

❑ You should NOT expect Creator's to troubleshoot an issue you might have caused by altering files!

❑ ISSUE [2]

- Check the community pack:

→ Pack is directly in `config > swem > community-packs`

→ Pack is a **folder** and not a zip file!

→ Pack has a valid **lowercase** name with **no spaces** ❑ `artist_tackpack` ❑ `Artist: Tack Pack!`

→ Pack includes at least one `.json` and `.png` file in the **correct folder**

❑ `jsons > ❑ tack > ❑ [type] > JSON FILES HERE`

❑ `textures > ❑ tack > ❑ [type] > PNG FILES HERE`

If this is **ALL** correct the issue is not the community pack structure. **Go back to Step [3] above.**

❑ ISSUE [3]

- Identify an item that is missing in game
- Check the **.json** file for the tack item

→ File is listed as a `JSON File` type

→ File is directly in `community-packs > artist_packname > jsons > tack > [type]` <- Correct folder for the tack type

→ File has a valid **lowercase** name with **no spaces** ❑ `name_type` ❑ `Itemname - Type`

→ File information uses the correct template for the tack type

→ Folder contains **.json** files only - **no .pngs or any other file type**

If this is correct, the most likely issue is formatting (invalid json).

→ Paste the text **here** and validate to check it has no errors.

→ Compare your **.json** to the template and note any missing `"` , or `{ }` or different indentation

→ If unsure, delete and repaste the .json file text from a valid template for the specific tack type

→ Reload the game and repeat **Step [3]** above.

KNOWN ISSUE Opening or modifying a pack on a Mac creates a .DS_store file. Should be fixed in 1.5.x.

→ This is usually invisible to Mac users and prevents the pack from working. **Discord:**

Bug Report

If this is **ALL** correct or changes did not work, paste your **.json** file in [Tech Help](#) in our

❏ ISSUE [4]

- Identify an item with a missing or incorrect texture
- Check the **.json** file for the coat
 - File uses the correct path:
 - "icon": for inventory textures
 - (horse > legacy >) "type": for horse textures
 - Note:** Specific items have more than one texture, such as bridles (bit = halter + bridle) and leg wraps (wraps + hoof)
 - File texture path has the **exact** name used by the coat texture **.png** file
- Check the .png file for the coat
 - File is listed as a **PNG File** type
 - File is directly in **community-packs > artist_packname > textures > tack > [type]**
 - File has a valid **lowercase** name with **no spaces** **name_type** **Item Name - Tack Type**
 - File uses the correct naming format (see **Files & Naming Format**)
- **MULTIPLAYER SERVERS**
 - Client (player) has community pack(s) with the same name (ID) as those on the server.
 - Client (player) has **.png** files with the same names as those in the server pack.

If you cannot check this due to permissions, you will need to contact server admins.

❏ [5] OTHER OR NOTHING WORKED

- Create a post in [Tech Help](#) in our Discord
 - Describe your issue(s) and **what you have tried**
 - Upload your latest.log file to provide info that may help others assist you

DO NOT UPLOAD PAID/PRIVATE PACKS WITH TEXTURES FROM CREATORS WITHOUT CONSENT

[EXPAND] Checking JSON Validity

It is easy to make small errors when creating or editing JSON files. Even a simple missing **{** can make your pack invalid.

There is a simple way to check if your JSON files have any formatting errors, using an online validator.

1. Open an online validator like [THIS](#)
2. Paste in the contents of your JSON file
3. Click to check the file
4. View the output below

```
1 {  
2   "display": {  
3     "name": "Name Halter",  
4     "credits": "Artist(s)",  
5     "inspiration": "N/A"  
6   },  
7   "cost": {  
8     "coin": "emerald",  
9     "amount": 4  
10  },  
11  "meta": {  
12    "name": "name_halter",  
13    "icon": "halter/name_halter_icon.png",  
14    "type": "halter",  
15    "data": {  
16      "color": [  
17        255,  
18        190,  
19        0  
20      ],  
21      "can_wear_armor": true  
22    },  
23    "textures": {  
24      "horse": {  
25        "legacy": {  
26          "halter": "halter/name_halter_legacy.png"  
27        }  
28      },  
29      "rack": {  
30        "halter_lead": "halter/rack_halter_lead_name_halter.png"  
31      }  
32    }  
33  }  
34 }
```

JSON is valid!

This is a valid JSON File with no formatting errors!

→ Packs can still fail to register or work if the files and folders are incorrect or duplicated.

→ Packs can still fail to register if other files have format errors, or files have invalid or missing data.

```

1 {
2   "display": {
3     "name": "Name Halter",
4     "credits": "Artist(s)",
5     "inspiration": "N/A"
6   },
7   "cost": {
8     "coin": "emerald",
9     "amount": 4
10  },
11  "meta": {
12    "name": "name_halter",
13    "icon": "halter/name_halter_icon.png",
14    "type": "halter",
15    "data":
16    "color": [
17      255,
18      190,
19      0
20    ],
21    "can_wear_armor": true
22  },
23  "textures": {
24    "horse": {
25      "legacy": {
26        "halter": "halter/name_halter_legacy.png"
27      }
28    },
29    "rack": {
30      "halter_lead": "halter/rack_halter_lead_name_halter.png"
31    }
32  }
33 }
34 }

```

Validate JSON

Clear

Compress

Invalid JSON!

Error: Parse error on line 16:
 ... "color": [
 -----^
 Expecting 'EOF', '}', ',', ']', got ':'

This is an invalid JSON where the `{` is missing after `"data":` making `"color":` invalid
 → You may not necessarily understand what it is telling you, but you can use this section to compare to examples.
 → If you cannot resolve your issue, sharing a screenshot of this output may assist helpers in tech help to find your issue.

Adding Custom Animations

It is recommended to provide a command list with Animation Packs, as they will not auto-fill in game.

This guide will not cover how to create animations, for information please read our [\[RESOURCES\]](#) on Discord.

1. Create your custom animation(s) in blockbench
2. Create an animation resource pack
 - Replace `assets > swem > animations > swem_horse.json` with a custom animation file
 - This must include all the existing animations **and** any new animations
3. Install the resource pack in the `resourcepack` folder
4. Use `/swem rrp anim <Animation Name>` to trigger the animation

Additional information:

- Animations cannot be triggered via keys (like gaits) but must use a command.
 - Default animations can still be replaced if you want to override gaits
- Animations will loop until the command is re-run to stop it.
- All clients (players) must install the resource pack to view triggered animations
- **TBC** Multiplayer Servers

Resources

Creating Tack Textures [WIP]

Credits: Jenny

1. Download a copy of the latest SWEM .jar (mod file)
2. Unzip the .jar file to access the SWEM files
3. Download / Open Blockbench
4. File > Open Model
 - Open Horse Model: `assets > swem > geo > entity > horse > swem_horse`
5. View the blocks menu on the bottom right
6. Toggle all blocks to Off using the eye icon
 - This is to prevent accidental texturing of the wrong element
 - Each tack type renders specific blocks - ie painting neck for leg wraps will not show!
7. Toggle on only relevant elements for your chosen tack type
 - This might include multiple blocks - see chart below
8. **TBC** Create a new texture that is 512 x 512 pixels (16x)
 - Alternatively, import a base texture to use as a template
 - Note:** These are found in `assets > swem > textures > entity > horse > [type]`
9. Switch to the paint tab and texture
10. Right click the completed texture in the texture menu > `save as`
11. Save the file as `name_type` or `name_type_descriptor` ☐ `midnight_blanket`
`midnight_blanket_blue`
 - Using a descriptor is useful for multiple variant sets ☐ `blanket_blue` `blanket_red`




Blockbench has a search function (magnifying glass) in the outliner (blocks) menu to search by name or keyword.

Tack Type	Group	Element(s)
Bridle (Western)	Front > Neck > NeckJoint1 > Head > WesternBridle > WesternBridleLeftBit	WesternBridleLeftBit (5X)
	Front > Neck > NeckJoint1 > Head > WesternBridle > WesternBridleLeftRein	WesternBridleLeftRein
	Front > Neck > NeckJoint1 > Head > WesternBridle > WesternBridleLeftRein1	WesternBridleLeftRein1
	Front > Neck > NeckJoint1 > Head > WesternBridle > WesternBridleLeftRein2	WesternBridleLeftRein2
	Front > Neck > NeckJoint1 > Head > WesternBridle > WesternBridleRightBit	WesternBridleRightBit (5X)
	Front > Neck > NeckJoint1 > Head > WesternBridle > WesternBridleRightRein	WesternBridleRightRein
	Front > Neck > NeckJoint1 > Head > WesternBridle > WesternBridleRightRein1	WesternBridleRightRein1
	Front > Neck > NeckJoint1 > Head > WesternBridle > WesternBridleRightRein2	WesternBridleRightRein2
	TBC: HEADPIECE	
Bridle (English)		
Bridle (Adv)		

Blanket	Middle > BlanketMiddle	Blanket Middle (2X)
Saddle (Western)	Middle > WesternSaddle	WesternSaddle
	Middle > WesternSaddle > WesternSaddleMiddle	WesternSaddleMiddle (10X)
	Middle > WesternSaddle > WesternSaddleLeftSide	WesternSaddleLeftSide (3X)
	Middle > WesternSaddle > WesternSaddleRightSide	WesternSaddleRightSide (3X)
Saddle (English)	Middle > EnglishSaddle > EnglishSaddleMiddle	EnglishSaddleMiddle (3X)
	Middle > EnglishSaddle > EnglishSaddleRightSide	EnglishSaddleRightSide (4X)
	Middle > EnglishSaddle > EnglishSaddleLeftSide	EnglishSaddleLeftSide (4X)
Saddle (Adv)	Middle > AdventureSaddle	AdventureSaddle
	Middle > AdventureSaddle > AdventureSaddleMiddle	AdventureSaddleMiddle (6X)
	Middle > AdventureSaddle > AdventureSaddleLeftSide	AdventureSaddleLeftSide (3X)
	Middle > AdventureSaddle > AdventureSaddleRightSide	AdventureSaddleRightSide (3X)
Girth Strap	Middle > Belly > GirthStrapBelly	GirthStrapBelly (2X)
	Middle > GirthStrapMiddle	GirthStrapMiddle (2X)
Breast Collar	Front > BaseFront > BreastCollarBase	BreastCollarBase (2X)
	Front > BaseFront > BreastRight > BreastCollarBreastRight	BreastCollarBreastRight
	Front > BaseFront > BreastLeft > BreastCollarBreastLeft	BreastCollarBreastLeft
	Front > BaseFront > FrontLeft > BreastCollarFrontLeft	BreastCollarFrontLeft (3X)
	Front > BaseFront > FrontRight > BreastCollarFrontRight	BreastCollarFrontRight (3X)
	Middle > BreastCollarBelly	BreastCollarBelly

Middle > BreastCollarMiddle	BreastCollarMiddle	
Leg Wraps	Front > FrontLeft > FrontLeftLeg > .. > .. > LegWrapsFrontLeftHoof	LegWrapsFrontLeftHoof
	Front > FrontLeft > FrontLeftLeg > .. > .. > LegWrapsFrontLeft	LegWrapsFrontLeft
	Front > FrontRight > FrontRightLeg > .. > .. > LegWrapsFrontRightHoof	LegWrapsFrontRightHoof
	Front > FrontRight > FrontRightLeg > .. > .. > LegWrapsFrontRight	LegWrapsFrontRight
	Back > BackLeft > .. > .. > .. > .. > LegWrapsBackLeftHoof	LegWrapsBackLeftHoof
	Back > BackLeft > Bone4 > KneeLeft > Bone6 > LegWrapsBackLeft	LegWrapsBackLeft
	Back > BackRight > .. > .. > .. > .. > LegWrapsBackRightHoof	LegWrapsBackRightHoof
	Back > BackRight > Bone7 > KneeRight > .. > LegWrapsBackRight	LegWrapsBackRight
	Front > Neck > NeckJoint1 > Head > Skull > LegWrapsSkull	LegWrapsSkull
	Front > . > . > . > Skull > BridgeOfNose > LegWrapsBridgeOfNose	LegWrapsBridgeOfNose
Saddle Bag	Back > Base > SaddleBag > SaddleBagLeft	SaddleBagLeft
	Back > Base > SaddleBag > SaddleBagRight	SaddleBagRight
	Back > Base > BedRoll	BedRoll (7X)
Horse Armor	Front > FrontLeft > ArmorLeftShoulder	ArmorLeftShoulder (4X)
	Front > FrontRight > ArmorRightShoulder	ArmorRightShoulder (4X)
	Front > Neck > NeckJoint1 > MainNeck1 > ArmorNeck > ArmorNeck1	ArmorNeck1 (3X)
	Front > Neck > NeckJoint1 > Head > ArmorHead > ArmorHead1	ArmorHead1 (8X)
	Middle > ArmorCloth > ArmorClothLeft	ArmorClothLeft
	Middle > ArmorCloth > ArmorClothRight	ArmorClothRight
	Back > Base > ArmorButt > 10X	ArmorButt (10X)

Wings	Front > BaseFront > WingsScapular > LeftGROUP > WingsScapularLeft	WingsScapularLeft
	Front > BaseFront > WingsScapular > LeftGROUP > WingsMarginalLeft	WingsMarginalLeft
	Front > BaseFront > WingsScapular > LeftGROUP > WingsMarginalLeft2	WingsMarginalLeft2
	Front > BaseFront > WingsScapular > LeftGROUP > WingsMarginalLeft2 > WingsAlulaLeft	WingsAlulaLeft
	Front > BaseFront > WingsScapular > LeftGROUP > WingsMarginalLeft2 > WingsAlulaLeft > WingsFlightFeathersLeft	WingsFlightFeathersLeft
	Front > BaseFront > WingsScapular > RightGROUP > WingsScapularRight	WingsScapularRight
	Front > BaseFront > WingsScapular > RightGROUP > WingsMarginalRight	WingsMarginalRight
	Front > BaseFront > WingsScapular > RightGROUP > WingsMarginalRight2	WingsMarginalRight2
	Front > BaseFront > WingsScapular > RightGROUP > WingsMarginalRight2 > WingsAlulaRight	WingsAlulaRight
	Front > BaseFront > WingsScapular > RightGROUP > WingsMarginalRight2 > WingsAlulaRight > WingsFlightFeathersRight	WingsFlightFeathersRight
Halter	Front > Neck > NeckJoint1 > Head > Skull > HalterSkull	HalterSkull
	Front > Neck > NeckJoint1 > Head > Skull > BridgeOfNose > HalterBridgeOfNose	HalterBridgeOfNose
	Front > Neck > NeckJoint1 > Head > Skull > Cheeks > HalterCheeks	HalterCheeks
	Front > Neck > NeckJoint1 > Head > Mouth > HalterMouth	HalterMouth
Pasture Blanket	Front > FrontLeft > PBFrontLeft	PBFrontLeft (4X)
	Front > FrontRight > PBFrontRight	PBFrontRight (4X)
	Middle > PBMiddle	PBMiddle (5X)

- 
-
- 
1. Download / Open Blockbench
 2. File > New > Image
 - Set name as `name_type_icon`  `midnight_blanket_icon`
 - Set resolution as default 16x16 pixels
 3. Confirm
 4. Create an icon to represent your tack in inventory slots
 - Alternatively, drag a default icon texture to use as a template
 - Select `Add Image` from options

Note: These are found in `assets > swem > textures > item [item_name]`
 5. **TBC** Saving

COMING SOON

Known Issues

Credits

Special thanks to the following contributors:

- Quarris for feature documentation, example pack and wiki information support
- Jenny for creator resources, testing and documentation
- Neehra for creator resources, testing and Mac information
- Legend for recommending JSON validation resources

Revision #25

Created 11 November 2024 09:19:38 by Delphi

Updated 20 February 2025 14:05:16 by Delphi